




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP60-37SW	600	360	55	360	51	1054	227.00
ASP60-55SW	600	540	55	540	51	1587	319.00
ASP60-79SW	600	780	55	780	51	2289	432.00
ASP60-97SW	600	960	55	960	51	2818	515.00
ASP60-115SW	600	1140	55	1140	51	3344	602.00
ASP60-145SW	600	1440	55	1440	51	4227	746.00
Aspen Double							
ASP60-37DW	600	360	79	360	51	1965	330.00
ASP60-55DW	600	540	79	540	51	2948	462.00
ASP60-79DW	600	780	79	780	51	4258	634.00
ASP60-97DW	600	960	79	960	51	5241	761.00
ASP60-115DW	600	1140	79	1140	51	6223	892.00
ASP60-145DW	600	1440	79	1440	51	7861	1102.00



5 5 Year
Guarantee

White Vertical **ASPEN** ⋮



We recommend

ASPEN VALVES (PAIR)
STRAIGHT

ASP-STR


£46.00

ANGLED

ASP-ANG


£43.00

Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP16-43VSW	1600	420	55	420	51	2999	435.00
ASP18-31VSW	1800	300	55	300	51	2392	360.00
ASP18-43VSW	1800	420	55	420	51	3368	478.00
ASP18-55VSW	1800	540	55	540	51	4309	595.00
Aspen Double							
ASP16-43VDW	1600	420	79	420	51	5824	586.00
ASP18-31VDW	1800	300	79	300	51	4664	462.00
ASP18-43VDW	1800	420	79	420	51	6531	625.00
ASP18-55VDW	1800	540	79	540	51	8397	789.00





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-37SA	600	360	55	360	51	1054	232.00
ASP60-55SA	600	540	55	540	51	1587	330.00
ASP60-79SA	600	780	55	780	51	2289	444.00
ASP60-97SA	600	960	55	960	51	2818	533.00
ASP60-115SA	600	1140	55	1140	51	3344	622.00
ASP60-145SA	600	1440	55	1440	51	4227	769.00
Aspen Double							
ASP60-37DA	600	360	79	360	51	1965	341.00
ASP60-55DA	600	540	79	540	51	2948	476.00
ASP60-79DA	600	780	79	780	51	4258	654.00
ASP60-97DA	600	960	79	960	51	5241	782.00
ASP60-115DA	600	1140	79	1140	51	6223	917.00
ASP60-145DA	600	1440	79	1440	51	7861	1137.00





We recommend


ASPEN VALVES (PAIR)
STRAIGHT

ASP-STR **£46.00**

ANGLED


ASP-ANG **£43.00**

Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP16-43VSA	1600	420	55	420	51	2999	448.00
ASP18-31VSA	1800	300	55	300	51	2392	371.00
ASP18-43VSA	1800	420	55	420	51	3368	492.00
ASP18-55VSA	1800	540	55	540	51	4309	613.00
Aspen Double							
ASP16-43VDA	1600	420	79	420	51	5824	604.00
ASP18-31VDA	1800	300	79	300	51	4664	478.00
ASP18-43VDA	1800	420	79	420	51	6531	645.00
ASP18-55VDA	1800	540	79	540	51	8397	812.00





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-40S	600	372	57.5	372	70	1271	444.00
ASP60-57S	600	558	57.5	558	70	1902	528.00
ASP60-80S	600	806	57.5	806	70	2479	613.00
ASP60-100S	600	992	57.5	992	70	3592	659.00
ASP60-120S	600	1178	57.5	1178	70	4016	684.00
ASP60-150S	600	1488	57.5	1488	70	5075	856.00
Aspen Double							
ASP60-40D	600	372	80	372	70	2187	858.00
ASP60-57D	600	558	80	558	70	3285	832.00
ASP60-80D	600	806	80	806	70	4379	1148.00
ASP60-100D	600	992	80	992	70	6204	1248.00
ASP60-120D	600	1178	80	1178	70	6904	1342.00
ASP60-150D	600	1488	80	1488	70	8763	1703.00





We recommend


ASPEN VALVES (PAIR)
STRAIGHT

ASP-STR **£46.00**

ANGLED


ASP-ANG **£43.00**

Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP180-25S	1800	250	63	250	50	2334	679.00
ASP180-31S	1800	310	63	310	50	2918	819.00
ASP180-45S	1800	450	63	450	50	4059	1100.00
ASP180-56S	1800	560	63	560	50	5248	1379.00
Aspen Double							
ASP180-25D	1800	250	88	250	70	4552	1176.00
ASP180-31D	1800	310	88	310	70	5690	1509.00
ASP180-45D	1800	450	88	450	70	7916	2098.00
ASP180-56D	1800	560	88	560	70	10234	2544.00






Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Boston Single							
BOS60-42SA	600	420	52	420	50	1295	165.00
BOS60-63SA	600	630	52	630	50	1943	231.00
BOS60-77SA	600	770	52	770	50	2375	264.00
BOS60-91SA	600	910	52	910	50	2807	297.00
BOS60-119SA	600	1190	52	1190	50	3670	396.00
BOS60-147SA	600	1470	52	1470	50	4534	462.00
Boston Double							
BOS60-42DA	600	420	70	420	50	2367	264.00
BOS60-63DA	600	630	70	630	50	3551	363.00
BOS60-77DA	600	770	70	770	50	4340	429.00
BOS60-91DA	600	910	70	910	50	5129	495.00
BOS60-119DA	600	1190	70	1190	50	6708	594.00
BOS60-147DA	600	1470	70	1470	50	8286	719.00





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Boston Single							
BOS60-42SW	600	420	52	420	50	1295	165.00
BOS60-63SW	600	630	52	630	50	1943	231.00
BOS60-77SW	600	770	52	770	50	2375	264.00
BOS60-91SW	600	910	52	910	50	2807	297.00
BOS60-119SW	600	1190	52	1190	50	3670	396.00
BOS60-147SW	600	1470	52	1470	50	4534	462.00
Boston Double							
BOS60-42DW	600	420	70	420	50	2367	264.00
BOS60-63DW	600	630	70	630	50	3551	363.00
BOS60-77DW	600	770	70	770	50	4340	429.00
BOS60-91DW	600	910	70	910	50	5129	495.00
BOS60-119DW	600	1190	70	1190	50	6708	594.00
BOS60-147DW	600	1470	70	1470	50	8286	719.00





Featured valves


MODERN VALVES CHROME (PAIR)
STRAIGHT

KART-STR £18.00

ANGLED

KART-ANG £18.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
1600 Series Single						
BOS1600-410W	1600	410	370	50	3240	316.00
BOS1600-480W	1600	480	440	50	3781	364.00
BOS1600-550W	1600	550	510	50	4322	407.00
1800 Series Single						
BOS1800-410W	1800	410	370	50	3616	343.00
BOS1800-480W	1800	480	440	50	4219	394.00
BOS1800-550W	1800	550	510	50	4823	439.00
1800 Series Double						
BOS1800-410DW	1800	410	370	50	6254	399.00
BOS1800-480DW	1800	480	440	50	7298	490.00
BOS1800-550DW	1800	550	510	50	8338	510.00






Featured valves

- CUBE VALVES (PAIR)
- STRAIGHT **CUBE-STR** **£24.00**
- ANGLED **CUBE-ANG** **£24.00**

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
1600 Series Single						
BOS1600-410A	1600	410	370	50	3240	328.00
BOS1600-480A	1600	480	440	50	3781	378.00
BOS1600-550A	1600	550	510	50	4322	423.00
1800 Series Single						
BOS1800-410A	1800	410	370	50	3616	355.00
BOS1800-480A	1800	480	440	50	4219	409.00
BOS1800-550A	1800	550	510	50	4823	455.00
1800 Series Double						
BOS1800-410DA	1800	410	370	50	6254	423.00
BOS1800-480DA	1800	480	440	50	7298	522.00
BOS1800-550DA	1800	550	510	50	8338	546.00



LASER KLASSIC Horizontal



5 Year Guarantee




Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL206014-N	600	650	70	524	14	3057	368.00
LCL206018-N	600	830	70	524	18	3927	463.00
LCL206022-N	600	1010	70	524	22	4801	560.00
LCL206026-N	600	1190	70	524	26	5671	652.00
3 Columns							
LCL306014-N	600	650	107	524	14	4514	399.00
LCL306018-N	600	830	107	524	18	5807	506.00
LCL306022-N	600	1010	107	524	22	7093	606.00
LCL306026-N	600	1190	107	524	26	8383	713.00
4 Columns							
LCL404014-N	400	650	140	320	14	4268	560.00
LCL404018-N	400	830	140	320	18	5486	713.00
LCL404022-N	400	1010	140	320	22	6701	867.00
LCL404026-N	400	1190	140	320	26	7922	1020.00
LCL406014-N	600	650	140	320	14	6107	452.00
LCL406018-N	600	830	140	320	18	7854	575.00
LCL406022-N	600	1010	140	320	22	9597	690.00
LCL406026-N	600	1190	140	320	26	11344	815.00
LCL407514-N	750	650	140	670	14	7485	514.00
LCL407518-N	750	830	140	670	18	9628	644.00
LCL407522-N	750	1010	140	670	22	11767	782.00
LCL407526-N	750	1190	140	670	26	13907	921.00
6 Columns							
LCL603022-N	300	1010	220	220	22	13102	1086.00
LCL603026-N	300	1190	220	220	26	15487	1257.00
LCL603030-N	300	1370	220	220	30	17868	1446.00



Optional feet

- 2 COLUMN
T2F-N **£110.00**
- 3 COLUMN
T3F-N **£110.00**
- 4 COLUMN
T4F-N **£110.00**
- 6 COLUMN
T6F-N **£110.00**

2 mm 45mm



D (WALL TO BACK OF RADIATOR) = 30MM/40MM
DEPENDANT ON RADIATOR POSITION ON THE BRACKET.



5 Year Guarantee

Vertical **LASER KLASSIC**




Featured valves

TRADITIONAL CROSS HEAD VALVES
CHROME (PAIR)

TRAD-CROSS-ANG

£29.00

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL215007-N	1500	335	70	1424	7	3600	422.00
LCL215009-N	1500	425	70	1424	9	4630	537.00
LCL215011-N	1500	515	70	1424	11	5654	644.00
LCL218007-N	1800	335	70	1724	7	4289	432.00
LCL218009-N	1800	425	70	1724	9	5517	549.00
LCL218011-N	1800	515	70	1724	11	6742	660.00
3 Columns							
LCL318007-N	1800	335	100	1724	7	6400	506.00
LCL318009-N	1800	425	100	1724	9	8226	651.00
LCL318011-N	1800	515	100	1724	11	10058	782.00



D (WALL TO BACK OF RADIATOR) = 30MM/40MM
DEPENDANT ON RADIATOR POSITION ON THE BRACKET.

LASER KLASSIC Horizontal Raw Metal

5 Year Guarantee




Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL206014-N	600	650	70	524	14	3057	478.00
RMLCL206018-N	600	830	70	524	18	3927	602.00
RMLCL206022-N	600	1010	70	524	22	4801	728.00
3 Columns							
RMLCL306014-N	600	650	100	524	14	4514	518.00
RMLCL306018-N	600	830	100	524	18	5807	658.00
RMLCL306022-N	600	1010	100	524	22	7093	788.00
RMLCL306026-N	600	1190	100	524	26	8383	928.00
4 Columns							
RMLCL406026-N	600	1190	140	520	26	11344	1059.00



Optional feet
adds 120mm to the height

- 2 COLUMN **RMT2F-N** **£143.00**
- 3 COLUMN **RMT3F-N** **£143.00**
- 4 COLUMN **RMT4F-N** **£143.00**



D (WALL TO BACK OF RADIATOR) = 30MM/40MM DEPENDANT ON RADIATOR POSITION ON THE BRACKET.

PRINTED COLOURS IN THIS PUBLICATION, WHILST A GOOD REFLECTION, MAY NOT BE AN EXACT MATCH TO THE FINISHED PRODUCTS.


5 5 Year
Guarantee

Vertical Raw Metal **LASER KLASSIC** ⋮



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL218007-N	1800	335	70	1724	7	4289	562.00
RMLCL218009-N	1800	425	70	1724	9	5517	714.00
RMLCL218011-N	1800	515	70	1724	11	6742	858.00

PRINTED COLOURS IN THIS PUBLICATION, WHILST A GOOD REFLECTION, MAY NOT BE AN EXACT MATCH TO THE FINISHED PRODUCTS.



D (WALL TO BACK OF RADIATOR) = 30MM/40MM DEPENDANT ON RADIATOR POSITION ON THE BRACKET.

LASER KLASSIC Horizontal Anthracite

M Matt Finish

5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Depth (mm)	C/C Tappings (mm)	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
	A		C	B			
2 Columns							
 ALCL206014-N	600	650	70	524	14	3057	478.00
ALCL206018-N	600	830	70	524	18	3927	602.00
ALCL206022-N	600	1010	70	524	22	4801	728.00
3 Columns							
 ALCL306014-N	600	650	100	524	14	4514	518.00
ALCL306018-N	600	830	100	524	18	5807	658.00
ALCL306022-N	600	1010	100	524	22	7093	788.00
ALCL306026-N	600	1190	100	524	26	8383	928.00
4 Columns							
 ALCL406026-N	600	1190	140	520	26	11344	1059.00



Optional feet
adds 120mm to the height


- 2 COLUMN
AT2F-N **£143.00**
- 3 COLUMN
AT3F-N **£143.00**
- 4 COLUMN
AT4F-N **£143.00**



D (WALL TO BACK OF RADIATOR) = 30MM/40MM DEPENDANT ON RADIATOR POSITION ON THE BRACKET.



Product Code	Height (mm)	Width (mm)	Depth (mm)	C/C Tappings (mm)	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
	A		C	B			
2 Columns							
ALCL218007-N	1800	335	70	1724	7	4289	562.00
ALCL218009-N	1800	425	70	1724	9	5517	714.00
ALCL218011-N	1800	515	70	1724	11	6742	858.00



D (WALL TO BACK OF RADIATOR) = 30MM/40MM DEPENDANT ON RADIATOR POSITION ON THE BRACKET.


K-FLAT KOMPACT Horizontal




10 10 Year Guarantee



Type 11 Single Convector



Type 22 Double Convective



Type 11 · Single Convective

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400 mm high						
KS406F	600	56	345	40 or 55	1586	233.69
KS408F	800	56	345	40 or 55	2115	276.82
KS410F	1000	56	345	40 or 55	2644	320.33
KS412F	1200	56	345	40 or 55	3173	371.45
KS414F	1400	56	345	40 or 55	3701	411.31
KS416F	1600	56	345	40 or 55	4230	457.66
500 mm high						
KS504F	400	56	445	40 or 55	1279	220.55
KS506F	600	56	445	40 or 55	1918	259.98
KS508F	800	56	445	40 or 55	2558	311.94
KS510F	1000	56	445	40 or 55	3197	365.20
KS512F	1200	56	445	40 or 55	3837	427.04
KS514F	1400	56	445	40 or 55	4476	474.28
KS516F	1600	56	445	40 or 55	5116	520.18
600 mm high						
KS604F	400	56	545	40 or 55	1489	235.83
KS606F	600	56	545	40 or 55	2233	282.39
KS608F	800	56	545	40 or 55	2977	343.20
KS610F	1000	56	545	40 or 55	3722	404.21
KS612F	1200	56	545	40 or 55	4466	454.41
KS614F	1400	56	545	40 or 55	5211	529.24
KS616F	1600	56	545	40 or 55	5955	582.47
KS618F	1800	56	545	40 or 55	6699	634.01
KS620F	2000	56	545	40 or 55	7444	686.17

Type 22 · Double Convective

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400 mm high						
KD406F	600	105	345	82.5 or 97.5	3133	315.19
KD408F	800	105	345	82.5 or 97.5	4178	385.46
KD410F	1000	105	345	82.5 or 97.5	5222	455.93
KD412F	1200	105	345	82.5 or 97.5	6266	535.05
KD414F	1400	105	345	82.5 or 97.5	7311	601.46
KD416F	1600	105	345	82.5 or 97.5	8355	675.17
500 mm high						
KD504F	400	105	445	82.5 or 97.5	2499	292.75
KD506F	600	105	445	82.5 or 97.5	3748	360.65
KD508F	800	105	445	82.5 or 97.5	4997	446.68
KD510F	1000	105	445	82.5 or 97.5	6247	533.33
KD512F	1200	105	445	82.5 or 97.5	7496	628.40
KD514F	1400	105	445	82.5 or 97.5	8746	709.23
KD516F	1600	105	445	82.5 or 97.5	9995	788.99
600 mm high						
KD604F	400	105	545	82.5 or 97.5	2876	323.37
KD606F	600	105	545	82.5 or 97.5	4314	404.21
KD608F	800	105	545	82.5 or 97.5	5752	506.37
KD610F	1000	105	545	82.5 or 97.5	7190	608.13
KD612F	1200	105	545	82.5 or 97.5	8627	718.73
KD614F	1400	105	545	82.5 or 97.5	10065	814.65
KD616F	1600	105	545	82.5 or 97.5	11503	909.08
KD618F	1800	105	545	82.5 or 97.5	12941	1,001.33
KD620F	2000	105	545	82.5 or 97.5	14379	1,094.69




10 10 Year Guarantee


Vertical **K-FLAT KOMPACT**



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

Type 10 • Single Panel *

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800 mm high						
SV318F	300	52.5	245	23	1672	422.96
SV418F	400	52.5	345	23	2235	481.36
SV518F	500	52.5	445	23	2791	541.09
SV618F	600	52.5	545	23	3371	607.47

*TYPE 10 SINGLE PANEL DESIGN DOESN'T HAVE SIDE PANELS

Type 20 • Double Panel


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800 mm high						
DV318F	300	72.5	245	59	2774	607.47
DV418F	400	72.5	345	59	3709	693.09
DV518F	500	72.5	445	59	4603	784.05
DV618F	600	72.5	545	59	5521	868.54
2000 mm high						
DV420F	400	72.5	345	59	4159	742.64

K-FLAT VERTICAL RADIATORS ARE SUPPLIED WITH AN OPTIONAL RETAINING STAY FOR ENHANCED SAFETY. WE STRONGLY RECOMMEND THE IMPLEMENTATION OF THE SAFETY EQUIPMENT AND WILL NOT ACCEPT RESPONSIBILITY FOR ISSUES OR DAMAGE CAUSED BY NOT USING THE RETAINING STAY.


K-FLAT PREMIUM KOMPACT Horizontal



Type 11 Single Convector



Type 22 Double Convactor



Type 11 Single Convactor

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400 mm high						
KS406FP	600	56	345	40 or 55	1586	280.46
KS408FP	800	56	345	40 or 55	2115	332.21
KS410FP	1000	56	345	40 or 55	2644	384.39
KS412FP	1200	56	345	40 or 55	3173	445.80
KS414FP	1400	56	345	40 or 55	3701	493.45
KS416FP	1600	56	345	40 or 55	4230	549.28
500 mm high						
KS504FP	400	56	445	40 or 55	1279	264.71
KS506FP	600	56	445	40 or 55	1918	311.94
KS508FP	800	56	445	40 or 55	2558	374.43
KS510FP	1000	56	445	40 or 55	3197	438.05
KS512FP	1200	56	445	40 or 55	3837	512.42
KS514FP	1400	56	445	40 or 55	4476	569.10
KS516FP	1600	56	445	40 or 55	5116	624.30
600 mm high						
KS604FP	400	56	545	40 or 55	1489	283.06
KS606FP	600	56	545	40 or 55	2233	338.88
KS608FP	800	56	545	40 or 55	2977	411.96
KS610FP	1000	56	545	40 or 55	3722	485.04
KS612FP	1200	56	545	40 or 55	4466	545.39
KS614FP	1400	56	545	40 or 55	5211	634.88
KS616FP	1600	56	545	40 or 55	5955	699.11
KS618FP	1800	56	545	40 or 55	6699	760.75
KS620FP	2000	56	545	40 or 55	7444	823.47

Type 22 Double Convactor


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400 mm high						
KD406FP	600	105	345	82.5 or 97.5	3133	378.34
KD408FP	800	105	345	82.5 or 97.5	4178	462.61
KD410FP	1000	105	345	82.5 or 97.5	5222	547.33
KD412FP	1200	105	345	82.5 or 97.5	6266	641.98
KD414FP	1400	105	345	82.5 or 97.5	7311	721.95
KD416FP	1600	105	345	82.5 or 97.5	8355	810.33
500 mm high						
KD504FP	400	105	445	82.5 or 97.5	2499	351.39
KD506FP	600	105	445	82.5 or 97.5	3748	432.66
KD508FP	800	105	445	82.5 or 97.5	4997	535.92
KD510FP	1000	105	445	82.5 or 97.5	6247	640.03
KD512FP	1200	105	445	82.5 or 97.5	7496	754.07
KD514FP	1400	105	445	82.5 or 97.5	8746	851.08
KD516FP	1600	105	445	82.5 or 97.5	9995	946.79
600 mm high						
KD604FP	400	105	545	82.5 or 97.5	2876	388.23
KD606FP	600	105	545	82.5 or 97.5	4314	485.04
KD608FP	800	105	545	82.5 or 97.5	5752	607.70
KD610FP	1000	105	545	82.5 or 97.5	7190	729.73
KD612FP	1200	105	545	82.5 or 97.5	8627	862.52
KD614FP	1400	105	545	82.5 or 97.5	10065	977.63
KD616FP	1600	105	545	82.5 or 97.5	11503	1,090.79
KD618FP	1800	105	545	82.5 or 97.5	12941	1,201.61
KD620FP	2000	105	545	82.5 or 97.5	14379	1,313.50





Vertical **K-FLAT PREMIUM KOMPACT**



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

Type 10 · Single Panel*

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800 mm high						
SV318FP	300	52.5	245	42	1672	486.33
SV418FP	400	52.5	345	42	2235	553.59
SV518FP	500	52.5	445	42	2791	622.14
SV618FP	600	52.5	545	42	3371	698.68

Type 20 · Double Panel


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^\circ\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800 mm high						
DV318FP	300	72.5	245	59	2774	698.68
DV418FP	400	72.5	345	59	3709	796.96
DV518FP	500	72.5	445	59	4603	901.74
DV618FP	600	72.5	545	59	5521	998.75


*TYPE 10 SINGLE PANEL DESIGN DOESN'T HAVE SIDE PANELS

K-FLAT VERTICAL RADIATORS ARE SUPPLIED WITH AN OPTIONAL RETAINING STAY FOR ENHANCED SAFETY. WE STRONGLY RECOMMEND THE IMPLEMENTATION OF THE SAFETY EQUIPMENT AND WILL NOT ACCEPT RESPONSIBILITY FOR ISSUES OR DAMAGE CAUSED BY NOT USING THE RETAINING STAY.



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
581 mm high						
VER500-05	400	95	400	65	2538	218.00
VER500-08	640	95	640	65	4060	326.00
VER500-10	800	95	800	65	5075	396.00
VER500-13	1040	95	1040	65	6598	504.00
VER500-15	1200	95	1200	65	7613	577.00
VER500-18	1440	95	1440	65	9136	689.00
681 mm high						
VER600-05	400	95	400	65	3091	227.00
VER600-08	640	95	640	65	4946	339.00
VER600-10	800	95	800	65	6182	415.00
VER600-13	1040	95	1040	65	8037	530.00
VER600-15	1200	95	1200	65	9273	604.00
VER600-18	1440	95	1440	65	11128	725.00





Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1870 mm high						
VER1800-03HI	240	100	240	65	3691	569.00
VER1800-04HI	320	100	320	65	4922	778.00
VER1800-05HI	400	100	400	65	6152	901.00
VER1800-06HI	480	100	480	65	7382	1065.00
VER1800-07HI	560	100	560	65	8613	1262.00



CI Cast Iron

10 10 Year Guarantee




Featured valves

NOSTALGIA THERMOSTATIC TWIN VALVE PACK

VLVCHA-TRV

£80.00

Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		No. of Sections	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)			
760 mm high							
600/180/6	456	180	476	122/132	6	3132	795.00
954 mm high							
800/180/6	456	180	476	122/132	6	3906	1074.00



SUPPLIED IN DARK GREY PRIMER (RAL7022) FOR OVER PAINTING. RAL COLOUR FINISH AVAILABLE - POA
PLEASE ENSURE THAT YOU HAVE A JOINING KEY, TO CHECK ALL JOINTS ARE TIGHT BEFORE INSTALLING.



CI Cast Iron


10 Year Guarantee

LEGACY



SHOWN FINISHED IN BLACK RAL9005

Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)	No. of Sections	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
660 mm high						
4/65/10	600	144	620	10	4007	829.00
4/65/13	780	144	800	13	5209	1083.00
4/65/17	1020	144	1040	17	6812	1403.00
4/65/21	1260	144	1280	21	8414	1723.00
760 mm high						
4/75/10	600	144	620	10	4652	919.00
4/75/13	780	144	800	13	6047	1201.00
4/75/17	1020	144	1040	17	7908	1557.00
4/75/21	1260	144	1280	21	9768	1913.00



RAL COLOUR FINISH AVAILABLE - POA. PLEASE ENSURE THAT YOU HAVE A JOINING KEY, TO CHECK ALL JOINTS ARE TIGHT BEFORE INSTALLING.

SUPPLIED IN DARK GREY PRIMER RAL7022 FOR OVERPAINTING



Featured valves


CUBE VALVES (PAIR)
STRAIGHT

CUBE-STR £24.00

ANGLED

CUBE-ANG £24.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CVG	2000	351	50	4628	758.00





Featured valves

CUBE VALVES (PAIR)

STRAIGHT

CUBE-STR £24.00

ANGLED

CUBE-ANG £24.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MCI	2000	276	50	5369	906.00

