




Optional

TOWEL HOLDER
ZXIDA

£243.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
IDA15-0240	1500	240	200	2667	868.00
IDA15-0340	1500	340	300	3735	1214.00
IDA18-0240	1800	240	200	3200	1001.00
IDA18-0340	1800	340	300	4483	1300.00
IDA18-0440	1800	440	400	5780	1659.00



Chrome
Plated

5 5 Year
Guarantee


CROWN ⋮



Featured valves


TRADITIONAL CROSS HEAD
VALVES CHROME (PAIR)
TRAD-CROSS-ANG £29.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAS	945	675	528	638	489.00
LAS-1	945	500	356	452	469.00





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MET800-500	800	500	475	1701	299.00
MET800-600	800	600	575	1841	319.00
MET1200-500	1200	500	475	2192	439.00
MET1200-600	1200	600	575	2625	459.00



SS Stainless Steel

10 10 Year Guarantee

TOLEDO ⋮



Featured valves


CUBE VALVES (PAIR)
STRAIGHT


CUBE-STR £24.00

ANGLED

CUBE-ANG £24.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
TOL500-1200	1200	500	445	2770	739.00
TOL600-1200	1200	600	545	3440	888.00





Straight

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720	720	500	468	1556	407.00
ORL600-720	720	600	568	1682	471.00
ORL500-1200	1200	500	468	2410	606.00
ORL600-1200	1200	600	568	2564	650.00
ORL500-1500	1500	500	468	2853	736.00
ORL600-1500	1500	600	568	3022	780.00

Curved

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720C	720	500	468	1556	464.00
ORL600-720C	720	600	568	1682	508.00
ORL500-1200C	1200	500	468	2140	679.00
ORL600-1200C	1200	600	568	2564	752.00
ORL500-1500C	1500	500	468	2853	805.00

SS Stainless Steel

10 10 Year Guarantee

OHIO ⋮



Featured valves


ASPEN VALVES (PAIR)
STRAIGHT

ASP-STR £46.00

ANGLED


ASP-ANG £43.00

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OHI500-800P	800	500	450	2321	599.00
OHI500-1200P	1200	500	450	3480	759.00






Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
EWR	952	500	86	462	1201	349.00
EWR-1	1306	500	86	462	1703	394.00






Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CON500-900	900	500	472	843	560.00
CON350-1200	1200	350	322	891	524.00
CON500-1200	1200	500	472	1124	711.00
CON350-1800	1800	350	322	1050	693.00
CON500-1800	1800	500	472	1323	976.00






Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ATL500-1200A	1185	500	440	2490	439.00




Chrome
Plated

5 5 Year
Guarantee

MEMPHIS ⋮



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MEM500-1200	1200	500	65	450	2079	428.00
MEM600-1200	1200	600	65	550	2390	472.00





Oregon
CHROME PLATED

Product Code	Width (mm)	Height (mm)	Output $\Delta t60^{\circ}\text{C}$	Price
ORE500-1200C	500	1180	1652 BTU	£449.00

Oregon
ANTHRACITE COLOUR • MATT FINISH

Product Code	Width (mm)	Height (mm)	Output $\Delta t60^{\circ}\text{C}$	Price
ORE500-1200A	500	1180	2140 BTU	£449.00



Chrome
Plated

5 5 Year
Guarantee

MODE ⋮



Product Code	Width (mm)	Height (mm)	Output $\Delta t 60^{\circ}\text{C}$	Price
MOD500-800C	500	800	900 BTU	£339.00
MOD500-1200C	500	1200	1400 BTU	£439.00

NEW YORK

Chrome Plated


5 Year Guarantee



New York

CHROME

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
JFK	906	500	100	1198	379.00




5 5 Year
Guarantee

VENETIAN ⋮



Venetian
ANTHRACITE

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
VEN850-500A	850	500	450	1943	359.00
VEN1100-500A	1100	500	450	2682	439.00
VEN1500-500A	1500	500	450	3643	549.00



DENVER



5 5 Year Guarantee



Denver

WHITE

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
DEN500-600WT	500	600	400	1844	299.00
DEN500-1000WT	500	1000	800	2620	399.00



Denver

ANTHRACITE

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
DEN500-600A	500	600	400	1844	299.00
DEN500-1000A	500	1000	800	2620	399.00

5 5 Year
Guarantee



KOLUMN 



Kolumn

WHITE

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
KOL832-500WT	832	500	425	2186	359.00
KOL1140-500WT	1140	500	425	3295	469.00




Kolumn

ANTHRACITE

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
KOL832-500A	832	500	425	2186	359.00
KOL1140-500A	1140	500	425	3295	469.00



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OAK	916	500	300	1411	359.00
OAK-1	1176	500	300	1820	399.00




Brushed Brass

5 Year Guarantee

MALIBU




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MAL1200-500BB	1200	500	450	1889	£659.00





Tampa
ANTHRACITE


Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
TAM850-500A	850	500	300	2047	£329.00
TAM1200-500A	1200	500	300	2833	£399.00





Texas
ANTHRACITE

Product Code	Width (mm)	Height (mm)	Output $\Delta t60^{\circ}\text{C}$	Tapping Centres (mm)	Price
TEX850-500A	500	850	1703	80	£299.00
TEX1300-500A	500	1300	2566	80	£379.00




K-RAIL 22mm black

M Matt Finish

5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR408B	800	400	355	1567	135.00
STR410B	1000	400	355	1868	158.00
STR412B	1200	400	355	2274	175.00
STR416B	1600	400	355	3006	214.00
STR508B	800	500	455	1856	145.00
STR510B	1000	500	455	2194	167.00
STR512B	1200	500	455	2680	203.00
STR516B	1600	500	455	3540	234.00
STR608B	800	600	555	2151	155.00
STR610B	1000	600	555	2538	178.00
STR612B	1200	600	555	3109	209.00
STR616B	1600	600	555	4105	250.00





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR408A	800	400	355	1567	135.00
STR410A	1000	400	355	1868	158.00
STR412A	1200	400	355	2274	175.00
STR416A	1600	400	355	3006	214.00
STR508A	800	500	455	1856	145.00
STR510A	1000	500	455	2194	167.00
STR512A	1200	500	455	2680	203.00
STR516A	1600	500	455	3540	234.00
STR608A	800	600	555	2151	155.00
STR610A	1000	600	555	2538	178.00
STR612A	1200	600	555	3109	209.00
STR616A	1600	600	555	4105	250.00






Straight 22mm

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308W	300	800	255	1364	61.00
STR408W	400	800	355	1567	65.00
STR508W	500	800	455	1856	70.00
STR608W	600	800	555	2151	75.00
STR310W	300	1000	255	1626	72.00
STR410W	400	1000	355	1868	76.00
STR510W	500	1000	455	2194	83.00
STR610W	600	1000	555	2538	86.00
STR312W	300	1200	255	1978	80.00
STR412W	400	1200	355	2274	85.00
STR512W	500	1200	455	2680	93.00
STR612W	600	1200	555	3109	99.00
STR316W	300	1600	255	2614	98.00
STR416W	400	1600	355	3006	104.00
STR516W	500	1600	455	3540	114.00
STR616W	600	1600	555	4105	121.00
STR518W	500	1800	455	4069	144.00
STR618W	600	1800	555	4720	157.00

Curved 22mm

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308W	300	800	255	1364	65.00
CTR408W	400	800	355	1567	69.00
CTR508W	500	800	455	1856	74.00
CTR608W	600	800	555	2151	79.00
CTR310W	300	1000	255	1626	76.00
CTR410W	400	1000	355	1868	81.00
CTR510W	500	1000	455	2194	88.00
CTR610W	600	1000	555	2538	91.00
CTR312W	300	1200	255	1978	85.00
CTR412W	400	1200	355	2274	90.00
CTR512W	500	1200	455	2680	99.00
CTR612W	600	1200	555	3109	104.00
CTR316W	300	1600	255	2614	104.00
CTR416W	400	1600	355	3006	108.00
CTR516W	500	1600	455	3540	118.00
CTR616W	600	1600	555	4105	126.00
CTR518W	500	1800	455	4069	152.00
CTR618W	600	1800	555	4720	166.00



NOTES: MAX OPERATING PRESSURE 7 BAR.

Chrome
Plated

5 5 Year
Guarantee

22mm chrome **K-RAIL**




Straight 22mm

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308C	300	800	255	957	89.00
STR408C	400	800	355	1100	94.00
STR508C	500	800	455	1302	101.00
STR608C	600	800	555	1509	108.00
STR310C	300	1000	255	1140	104.00
STR410C	400	1000	355	1311	110.00
STR510C	500	1000	455	1540	120.00
STR610C	600	1000	555	1781	125.00
STR312C	300	1200	255	1388	116.00
STR412C	400	1200	355	1595	123.00
STR512C	500	1200	455	1881	135.00
STR612C	600	1200	555	2182	144.00
STR316C	300	1600	255	1835	143.00
STR416C	400	1600	355	2108	151.00
STR516C	500	1600	455	2484	165.00
STR616C	600	1600	555	2881	176.00
STR518C	500	1800	455	2855	208.00
STR618C	600	1800	555	3312	227.00

Curved 22mm

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308C	300	800	255	957	94.00
CTR408C	400	800	355	1100	100.00
CTR508C	500	800	455	1302	107.00
CTR608C	600	800	555	1509	114.00
CTR310C	300	1000	255	1140	111.00
CTR410C	400	1000	355	1311	117.00
CTR510C	500	1000	455	1540	128.00
CTR610C	600	1000	555	1781	132.00
CTR312C	300	1200	255	1388	123.00
CTR412C	400	1200	355	1595	131.00
CTR512C	500	1200	455	1881	143.00
CTR612C	600	1200	555	2182	153.00
CTR316C	300	1600	255	1835	151.00
CTR416C	400	1600	355	2108	157.00
CTR516C	500	1600	455	2484	171.00
CTR616C	600	1600	555	2881	182.00
CTR518C	500	1800	455	2855	221.00
CTR618C	600	1800	555	3312	241.00



NOTES: MAX OPERATING PRESSURE 7 BAR.




Straight 25mm

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
25STR308C	300	800	255	1106	118.00
25STR408C	400	800	355	1272	123.00
25STR508C	500	800	455	1506	132.00
25STR608C	600	800	555	1746	137.00
25STR310C	300	1000	255	1319	132.00
25STR410C	400	1000	355	1516	137.00
25STR510C	500	1000	455	1781	146.00
25STR610C	600	1000	555	2060	151.00
25STR312C	300	1200	255	1605	146.00
25STR412C	400	1200	355	1845	151.00
25STR512C	500	1200	455	2175	160.00
25STR612C	600	1200	555	2524	164.00
25STR316C	300	1600	255	2122	174.00
25STR416C	400	1600	355	2439	169.00
25STR516C	500	1600	455	2873	188.00
25STR616C	600	1600	555	3332	206.00
25STR518C	500	1800	455	3302	244.00
25STR618C	600	1800	555	3830	262.00

Curved 25mm

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
25CTR308C	300	800	255	1106	125.00
25CTR408C	400	800	355	1272	130.00
25CTR508C	500	800	455	1506	146.00
25CTR608C	600	800	555	1746	151.00
25CTR310C	300	1000	255	1319	139.00
25CTR410C	400	1000	355	1516	144.00
25CTR510C	500	1000	455	1781	154.00
25CTR610C	600	1000	555	2060	158.00
25CTR312C	300	1200	255	1605	154.00
25CTR412C	400	1200	355	1845	158.00
25CTR512C	500	1200	455	2175	168.00
25CTR612C	600	1200	555	2524	172.00
25CTR316C	300	1600	255	2122	188.00
25CTR416C	400	1600	355	2439	193.00
25CTR516C	500	1600	455	3302	202.00
25CTR616C	600	1600	555	3332	220.00
25CTR518C	500	1800	455	3302	258.00
25CTR618C	600	1800	555	3830	276.00




Chrome
Plated

5 5 Year
Guarantee

25mm chrome **K-SQUARE** 




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
SQR508C	800	500	455	1310	222.00
SQR608C	800	600	555	1520	250.00
SQR512C	1200	500	455	1910	306.00
SQR612C	1200	600	555	2200	334.00
SQR516C	1600	500	455	2495	390.00
SQR616C	1600	600	555	2890	432.00



COLOURED K-RAILS

G Gloss Finish

5 5 Year Guarantee



NOTES: MAX OPERATING PRESSURE 7 BAR.

COLOURED K-RAILS



**MAKE A STATEMENT WITH OUR COLOURED K-RAILS.
AVAILABLE IN 7 BOLD COLOURS.**

- Grey (GR)
RAL7001
- Blue (BL)
RAL5002
- Light Blue (LB)
RAL5024
- Red (R)
RAL3020
- Magenta (M)
RAL4010
- Orange (O)
RAL2004
- Bright Yellow (Y)
RAL1016

Straight 22mm

Product Code	Width (mm)	Height (mm)	Output $\Delta t60^{\circ}\text{C}$	Price
STR308	300	800	1364	£156.00
STR408	400	800	1567	£159.00
STR508	500	800	1856	£164.00
STR608	600	800	2151	£169.00
STR310	300	1000	1626	£166.00
STR410	400	1000	1868	£170.00
STR510	500	1000	2194	£177.00
STR610	600	1000	2538	£180.00
STR312	300	1200	1978	£190.00
STR412	400	1200	2274	£195.00
STR512	500	1200	2680	£203.00
STR612	600	1200	3109	£209.00
STR316	300	1600	2614	£224.00
STR416	400	1600	3006	£230.00
STR516	500	1600	3540	£240.00
STR616	600	1600	4105	£247.00
STR518	500	1800	4069	£301.00
STR618	600	1800	4720	£314.00

Curved 22mm


Product Code	Width (mm)	Height (mm)	Output $\Delta t60^{\circ}\text{C}$	Price
CTR308	300	800	1364	£159.00
CTR408	400	800	1567	£163.00
CTR508	500	800	1856	£168.00
CTR608	600	800	2151	£173.00
CTR310	300	1000	1626	£171.00
CTR410	400	1000	1868	£175.00
CTR510	500	1000	2194	£182.00
CTR610	600	1000	2538	£186.00
CTR312	300	1200	1978	£195.00
CTR412	400	1200	2274	£200.00
CTR512	500	1200	2680	£209.00
CTR612	600	1200	3109	£215.00
CTR316	300	1600	2614	£230.00
CTR416	400	1600	3006	£234.00
CTR516	500	1600	3540	£244.00
CTR616	600	1600	4105	£251.00
CTR518	500	1800	4069	£309.00
CTR618	600	1800	4720	£324.00

PLEASE NOTE THAT WHILE THE PRINTED COLOURS IN THIS PUBLICATION ARE A GOOD REFLECTION, THEY MAY NOT BE AN EXACT MATCH TO THE FINISHED PRODUCTS. ALL FINISHES ARE GLOSS. THIS PRODUCT IS MADE TO ORDER.

ELECTRIC RAILS

Chrome Plated

5 Year Guarantee



Electric Towel Rail – On/Off

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ESTR508C	800	500	455	150	225.00
ESTR510C	1000	500	455	200	259.00
ESTR512C	1200	500	455	300	293.00
Curved					
ECTR508C	800	500	455	150	232.00
ECTR510C	1000	500	455	200	266.00
ECTR512C	1200	500	455	300	299.00

Electric Towel Rail – Thermostatic

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ETSTR508C	800	500	455	150	285.00
ETSTR510C	1000	500	455	150	319.00
ETSTR512C	1200	500	455	300	352.00
Curved					
ETCTR508C	800	500	455	150	291.00
ETCTR510C	1000	500	455	150	325.00
ETCTR512C	1200	500	455	300	359.00

NOTES: MAX OPERATING PRESSURE 7 BAR.